

PATIO PLEASURE weinor awnings





weinor **AWNINGS** High-quality sun protection that is always suitable

Resilient and long-lasting: weinor folding arm awnings are a combination of high-calibre design and premium technology. Depending on where you want to install your awning, the desired level of convenience and awning features, you can choose from three awning categories.







Cassette awnings

The cassette keeps the awning fabric and mechanism as safe as houses – the perfect solution if you're looking for the best-possible way to protect your awning.

Kubata/LED 8 Opal Design II/LED 12	
Semina Life/LED 16 Smaila 18	
Cassita II/LED 22	A DESCRIPTION OF A DESC
I/K/N2000 24	- E T TIM

Semi-cassette awnings

On the semi-cassette awning, the fabric as well as the mechanical parts for the awning roof and retracted drop profile are tucked away safe and sound. For added protection compared to an open awning. compared to an open awning.

a

Semina . . . 26

Open awnings

An open awning is at the entry level to weinor's awning world. It is a suitable option if there is an overhang or balcony to protect the awning from the elements.



Topas II . . . 28

weinor **AWNINGS** – highlights



COMFORT

For many years now, weinor has consistently driven innovation in terms of awning design. weinor sets the standards with design and technological features.




Design is a question of style – uncompromisingly beautiful shape Whether classic or modern, weinor awnings stand out for their high-quality materials and aesthetic look and shape. The result is ultramodern technology in a contemporary design. Feel free to choose the awning that best meets your personal tastes and furnishings.

For long evenings on the patio – atmospheric LED lighting

Every awning is optionally available with integrated LED lighting or different light bars. Powerful LED spotlights cast a pleasant, warm white light even when the awning is retracted. The particularly energy-efficient dimmable LED spotlights have an operating life of 30,000 hours. Control everything via hard wired switch, remote control using a hand transmitter, Smart Home via smartphone, or automatic weather control sensors.

TECHNOLOGY



The appeal of the low-noise weinor LongLife arm is its very high tension force – even in gusty conditions. This ensures the fabric is exceptionally well positioned. Its resilient high-tech belt has undergone 100,000 cycles in a fatigue test. We back this up with a 10-year warranty. Dropforged aluminium has been added to the arm joint for even greater stability.





Kubata/LED clear | consistent | cubic

Cubic shapes are a popular style element for contemporary facades. The Kubata cassette awning blends ideally into these. With its clear design, it complements modern house architecture perfectly. It is particularly suitable for large patios. But the high-quality technology also convinces: dimmable LED spotlights integrated into the cassette, the weinor LongLife arm and the large choice of fabrics and frame colours – leaving nothing to be desired. Control everything via hard wired switch, remote control using a hand transmitter, Smart Home via smartphone, or automatic weather control sensors.




The house and awning in harmony

With its cubic shape, the Kubata cassette awning blends perfectly into modern house architecture as a stylish design element. Due to the flush wall connection, the sun protection and facade also form a balanced symbiosis which meets the highest aesthetic requirements.




Kubata/LED – highlights and features











the use of drop-forged aluminium.

Kubata/LED Max. width 7 m at 3.0 m projection 4 m at 6.5 m width Max. projection

10

Cubic, clean lines - modern contemporary design

robust awning cassette keeps the fabric and other component parts just as well protected from

the elements as the controlled rain drainage within the front profile. As a result, you can enjoy your sun protection for many years.

Atmospheric light, powerful warmth

Spend pleasant evenings under the LED spotlights integrated into your awning cassette. cooler times with the Tempura Quadra Universal heating system. It can be retrofitted and is

unobtrusively fitted to the house facade. Everything is dimmable via remote control using a hand You can even enjoy your patio at transmitter or Smart Home via smartphone or tablet.

weinor LongLife arm – guaranteed to be resilient and durable

- The LongLife arm on the Kubata is extremely quiet, lightweight and yet extremely robust due to
- exceptionally durable hightech belt with over 100,000 cycles in fatigue test
- 10-year warranty
- for exceptional fabric positioning

Wind lock safety device – well-sheltered even in winds

- Proven technology prevents the awning from lifting up when wind gusts from below:
- Tilting folding arm with wind lock safety device
- Proven, maintenance-free technology
- Forged and extruded aluminium components





Opal Design II/LED Live it up on your patio

High-performance technology meets high-calibre design – the weinor Opal Design II meets all the demands of a premium cassette-awning. Built to shade large areas, its timelessly classic shape blends in perfectly with any style of architecture. The beautifully-shaped cassette adds some refined sophistication to the facade. A wealth of product highlights makes the awning easy to use, outstandingly convenient in its operation and durable.



The first-class awning with great features

With Valance Plus and integrated LED lighting, the Opal Design II lives up to the highest demands. Multi-section units convert even large patios into well-shaded favourite areas.




Opal Design II/LED – highlights and features











anti-glare and sun protection.



nce Plus option

option).

On combined multi-section

systems, two sections of fabric are connected to one motor.

Opal Design II/LED	Valance Plu		
Max. width	Max. projection	Max. width	
6.5 m/12* m	4 m	5/6 m	
* 2-unit systems			



Classic design for those who enjoy spacious patios

- Large, powerful and safe the Opal Design II has enough to convince even the most demanding patio aficionados.
- timelessly classic design
- certified up to wind force 5
- with weinor LongLife arm (10-year warranty)

End cap closure – unique and safe closing mechanism

- If you can see the spring loaded clips at the end of the cassette are closed, then the awning is reliably protected against the elements and dirt.
- crescent-shaped cap closes securely
- unique, patented solution made by weinor

Integrated LED lighting for long evenings on the patio

- The Opal Design II LED casts an atmospheric, warm white light for even longer hours of enjoy-
- operating life of 30,000 hours • highly energy-efficient
- dimmable via remote control using a hand transmitter or Smart Home via smartphone or tablet
- can be used even when awning is retracted

Valance Plus - more privacy, more glare protection

- With its vertical awning, the Opal Design II Valance Plus provides the best-possible privacy,
- valance height up to 210 cm
- patented weinor Opti-Flow-System[®] for the ideal fabric positioning
- practical control via weinor BiConnect even with table retraction protection

Multi-section units to shade especially large areas

- for spacious patios up to 48 m²
- jockey cover as connector between the units
- This means they can both be
- operated at the same time
- (does not apply to Valance Plus

Max. projection	Valance Plus projection
3.5/3 m	1, 1.5, 2.1 m



Semina Life/LED A genuine all rounder

Semina Life is the all rounder amongst cassette awnings. It stands out with it's fresh design, modern clean lines and many features. This combined with weinor's tried and tested technology make it such an attractive alternative to semi cassette awnings. Its many unique technical highlights provide superb sun protection, comfort and a long operating life.

Honoured with: Ľ reddot award 2016

Semina Life/LED – highlights and features



and fabric pattern.



mospheric lighting on the patio.



a low-lying sun.

Semina Life/LED	Valance Plus op		
Max. width	Max. projection	Max. width	
6.5 m	4 m	6 m	

Youthful design with state-of-the-art technology

- The Semina Life cassette protects modern, clear design the awning against the weather. The beautifully shaped stainless steel look headplate rings perfectly round off your customised combination of frame colour
 - innovative closing of the awning causing practically no wear at all

Semina Life LED – cassette with integrated LED lighting

- The LED spotlights integrated into the cassette produce at-
- operating life of 30,000 hours
- highly energy-efficient
- dim mable via remote control using a hand transmitter or Smart Home via smartphone or tablet

Valance Plus – vertical privacy and sun protection


- The Valance Plus is elegantly integrated into the awning's front profile. It provides privacy and glare protection even with
- continously extendable up to 210 cm
- patented weinor Opti-Flow-System[®] for the ideal fabric positioning
- practical control via weinor BiConnect even with table retraction protection





Smaila The small, cubic awning

If you are looking for high-quality, elegant and individual sun protection for the small patios/terraces or balconies, Smaila is the perfect solution. The cassette awning from weinor offers an abundance of options to place fantastic optical accents in your outdoor area. And the very modern technical features with top quality "Made in Germany" also leave nothing to be desired.



A lot of style in a little space

Smaila stands for modern outdoor living. It's not just the attractive design and durable technology that deliver. The clever, high-quality accessories, such as integrated LED spotlights, also ensure even more comfort and atmosphere on balconies and patios. Allowing you to experience pleasant feel-good moments in small outdoor areas.

Honoured with



Smaila – highlights and features



Custom design tions to balcony or patio.







Versatile

terrace or balcony.

Smaila		Valance Plus opti
Max. width	Max. projection	Max. width
5.5 m / 3 m	3.5 m / 5 m	5 m

- Smaila offers you a host of op-
- place fantastic accents on the
- sophisticated cubic shape
- 5 chic decorative end cap designs
- inspiring fabric patterns

Atmospheric light, powerful warmth

- Anyone who likes spending long evenings outdoors should not miss out on these options:
- continuously dimmable LED spotlights integrated into the awning cassette
- efficient and pleasant warmth with the Tempura Quadra heating system

A sun protection benefit – solar drive included

- Smaila can optionally have a Valance Plus added. This vertical sun protection is integrated into the front profile of the awning.
- sun, privacy and glare protection from the front
- integrated solar drive for automatic extending and retracting, independent of a power supply
- Smaila offers the perfect aesthetic solution to suit any type of architecture or facade with a variety of installation options to enhance any patio,
- wall mounting
- ceiling mounting
- rafter mounting



Cassita II/LED A jewel amongst cassette awnings

Slim design and jam-packed with technology – with its puristic shape and ultra-slim cassette, the Cassita II is a perfect match for modern domestic trends. With numerous options for added comfort and convenience.



Cassita II/LED – highlights and features







Fully sheltered: inside the

infill profile.



pheric LED light.

Cassita II/LED Max. width Max. projection 5.5 m 3 m

22

Youthful living with slim cassette design

- For contemporary home decor aficionados: the outstanding feature of the Cassita II is its puristic, harmoniously flat,
- beautifully-shaped aluminium end caps
- concealed fixings and screws
- easy end fix installation with only two brackets

Gap infill profile for a seamless look

- If you prefer a uniform look, you can close the gap between the awning cassette and the wall upon request with a gap
- continuous design, also without LED lighting
- harmonious attachment option for the remote receiver (instead of a box)

High-performance technology in minimal space

- cassette is the very latest in weinor awning technology
- durable and very quiet weinor LongLife arm (10-year warranty)
- torsion-resistant Optinut tube ensures ideal fabric positioning

LED lighting - long evenings on the patio included

- Pleasant summer evenings on your patio – the Cassita II LED provides warm, white atmos-
- highly energy-efficient
- operating life of 30,000 hours
- dimmable via remote control using a hand transmitter or Smart Home via smartphone or tablet
- can be used even when awning is retracted




I 2000/K 2000/N 2000 Proven technology, timeless design

The I 2000 and K 2000 cassette-awnings are true classics. With these weinor offers solutions for any type of building – available with or without a back profile. The N 2000 was especially designed for alcoves, shop fronts and niche installations.

I2000/K2000/N2000 - highlights and features







Multi-section units for large patios

weather systems.

niches..

I2000/K2000 N 2000 Max. width Max. projection Max. width 7 m /12* m 4 m 6 m * 2-unit systems

Flexible all-rounders for any facade

- With its classic proportions and extensively tested concept, this cassette-awning is the ideal
- fit for any type of building.
- 1-unit systems up to 7 m in width with 4 m projection
- durable and very quiet weinor LongLife arm (10-year warranty)

Perfect protection and versatile installation

- Once the awning is retracted, both the fabric and the mechanical parts are safely protected inside the cassette. A number of versions are available depending on where the awning is to
- K 2000 with fully closed cassette for any type of building
- 12000 without rear wall profile, for wall installation

- Coupled 2-piece constructions are suitable for particularly large patios and can be controlled via cables, remote controllers or Smart Home, via hand transmitters, smartphones or automatic
- for sun protection up to 12 m wide and a projection of up to 4 m
- continuous fabric, or jockey cover to join two sections of fabric

N 2000 - The specialist awning for niche installations

- The ultraflat front profile on the N 2000 makes it the ideal choice for installation in facade
- front profile fits flush with the wall or facade
- tilting arm closure assembly ensures the front profile closes very precisely



Semina Youthful design meets powerful technology

he compact Semina semi-cassette is great in price, functionality and design. If offers a straightforward design and outstanding quality.

Semina – highlights and features







the evenings.

from being lifted up by the wind.

Semina Max. width 7 m

Max. projection

3.5 m

26

The compact semi-cassette – fresh, youthful aesthetic

- Here, the semi-circular cassette profile together with large front profile ensure the fabric and mechanical parts remain dirt-
- compact shape
- durable and very quiet weinor LongLife arm (10-year warranty)

Energy-efficient – the optional LED light bar

- Even more hours of enjoyment on your patio – the optionally available LED light bar provides a pleasant warm white light in
- highly energy-efficient
- operating life of 30,000 hours
- dimmable via remote control using a hand transmitter or Smart Home via smartphone or tablet
- can be used even when awning is retracte

Wind lock safety device – protecting your awning

- The weinor tilting folding arm with proven wind lock safety device prevents the awning
- proven, maintenance-free technology
- all components made of forged and extruded aluminium



Topas II The classic entry-level model

The weinor Topas II open awning has all the important functions of modern sun protection. It has a high-quality finish and provides timeless, pure design.

Topas II – highlights and features



enjoyment outdoors with additional sun protection.



installation situations.

durability of the fabric and mechanical parts.

Topas II	Valance Plus opt		
Max. width	Max. projection	Max. width	
7 m /12* m	4 m	6 m / 3 m	
* 2-unit system			

Valance Plus – sun, privacy and glare protection from the front

- The height-adjustable Valance Plus on the front profile of the awning ensures even more
- more privacy
- glare protection from the front
- protection when the sun is low

Versatile use - also in niches and under balconies


ent versions, Topas II provides a suitable solution for almost any

- As it is available in several differ- Possible mounting options:
 - wall mounting
 - ceiling mounting
 - rafter mounting

Quality accessories for lots of feel-good moments

- High-quality product supplements extend your time spent outdoors and ensure better
- seamless integration of a light bar
- solid safety shield
- attractive, solid metal valance

tion



The right control unit to suit all needs

Whether hard wired, remote control or Smart Home, using a hand transmitter, smartphone or automatic weather control – control your awning and accessories really effortlessly with weinor BiConnect or Somfy control units. A gear drive is also possible. The LED lighting and heating can be dimmed finetuned via remote control or Smart Home. Your weinor retailer will be happy to advise you competently.



Which control unit fits your needs?



Manual – operation via gear handle

You'd like to operate your awning manually and under your own steam? With a gear handle, it is independent of a power source and can be attached very flexibly at almost all installation locations.



Basic – operation with a hard wired switch or automatic weather system

You would like to operate your weinor awning comfortably via a hard wired wall switch? Your motorised awning can be effortlessly extended and retracted with a simple switch. Optionally, an automatically controlled unit can be used with a sun, wind and rain sensor instead of a hard wired switch.



Convenience – operation with a remote controller plus dimming heating and lighting

You would like to control your weinor awning comfortably via remote control from the patio or the house? That's pretty easy with a remote controller. Optionally, the lighting and the radiant heater can be activated with it and even be dimmed. You can also operate vertical sun protection or further awnings on the house centrally by this means.



Smart – operation with a smart phone, language assistant or pre-set

You'd like to connect your weinor awning, lighting, radiant heater, or other accessories to other devices in your home and control them from anywhere by smartphone or tablet? This is child's play with the weinor BiConnect box or Tahoma Switch from Somfy smart home solution! Also if you would like to operate it using a voice assistant or a pre-set automatic scenario.

Please note that the weinor BiConnect and Somfy systems cannot be combined.

More comfort with **side awnings**

Paravento - side privacy screen at a flick of the wrist

Our extendable side screen provides a further possibility to better enjoy more privacy: Paravento provides wind and

privacy protection and its fabric and colour can be matched to your awning.

The **fabric** makes the awning

Breathtakingly beautiful and long-lasting: Our wide range of fabric patterns brings a cosy atmosphere outdoors uniquely and specifically suited to your individual style and taste.

Attractive awning fabrics to suit every taste



The exquisite my collections 2 fabrics captivate with exciting, new weaving effects, state-of-the-art colouring as well as 12 exclusive patterns – for modern outdoor living or the classical home style.

modern basics blue

The first sustainable awning fabrics designed by weinor were accoladed alone with 7 design and sustainability prizes. We have now expanded them as a collection - for everyone who really cares about the future.

ever**more**

Innovative patterns with novel structures provide timeless, harmonious fabrics in beige and grey with an individual touch. With new interpretations of the trend topic grey, fans of classical colours absolutely get their money's worth.

hi **hello!**

Colourful fabrics with innovative weaving accents provide your outdoor living space with vitality and joy with their sunny atmosphere. If you like to provide strong colour accentuation with your awning fabric, you can find a wide selection of lively patterns here.

Vertical sun protection fabrics with a crystal-clear view



weinor vertical awnings reliably protect the patio and indoor rooms against overheating and your privacy against prying eyes. We recommend the screens by weinor® collection for this application.

It encompasses three different, high-quality fabrics: StarScreen, Soltis® and fibreglass screen. They all offer perfect sun protection and privacy for windows, the patio and balconies. Different degrees of transparency and to how much air is let through are possible, depending on requirements.

Note: Soltis® fabrics are not available for VertiTex II Zip.


my collections 2 High-quality awning fabrics



Precisely my fabric!

modern basics blue[®] · evermore · hi hello! You can find your favourite pattern in our 3-part collection. Select a proven woven awning cover or our uncompromisingly high guality fabrics made from recycling material. No matter whether you're looking for timelessly harmonious colours or creative trends – we have the right fabric for all styles and each weinor awning.

You can find further manufacturers' information for our awning fabrics and the Industrieverband Technische Textilien, Rollladen, Sonnenschutz [Industrial Association for Technical Textiles, Roller Shutters and Sun Protection] (ITRS e.V.) under: www.weinor.com/fabric-qualities



Award-winning design

Numerous design awards bear testimony to our commitment to provide good designs:

GOOD

modern basics blue® sustainable awning fabric collection, 2021





2014 (special mention)

HÄUSER DES JAHRES

2 0 2 2

Terrazza Pure

patio roof 2019





modern basics blue sustainable awning fabric collection, 2021









and regular checks

weinor certificate of authenticity

Every weinor product is delivered with a certificate of authenticity. Ask your weinor retailer for it!



Frame colour WT 029/90146 | Pattern 4-685 slate/white

Awnings: good to know before you buy! Benefit from the experience of our weinor retailers – up-to-date, professional and practical!

www.weinor.com/practical-knowledge-awnings



Important: All the illustrated equipment is weatherproof out door furniture and accessories.

Fabric qualities: weinor awning fabrics meet strict quality requirements and are produced using state-of-the-art production technology. Despite this,

blemishes like creases, rippling in the seam and hem area, overstretching in the hem area and honeycombing cannot be ruled out. This has no negative

impact on the quality and operating life and are not a reason for rejection. For more detailed information www.weinor.com/fabric-qualities

Awnings and conservatory awnings: must be retracted during rain an d windy conditions – other-wise there is a risk of water pooling on the fabric. Fabrics that are allowed to become wet may show



Plaza Viva pergola awning, 2019



Artares louvred roof, 2022 modern basics blue® sustainable awning fabric collection, 2021 Terrazza Sempra patio roof, 2021 Kubata cassette awning, 2019 w17 easy full glass sliding door, 2018



weinor Glasoase® 2021

weinor products have received more than 40 awards since 2008. More information at: www.weinor.com/awards

- **Embodying innovation –** constant enhancements
- Tried and tested weinor quality certified production processes, top standards
- Sustainability and responsibility high environmental standards

creasing, wrinkling or honeycombing as well as-

having visible water stains. Mould and mildew damage is also a possibility. If taken away wet the awning should be extended as soon as possible once there are dry conditions.

Frame colours: depending on the frame colour ordered, we deliver all small parts, as well as gear handles and gear boxes in black (similar to RAL 9005), white (similar to RAL 9016), or in grey (similar to weinor 7319).

AWNINGS Product overview

ette awnings m x 300 cm m x 400 cm ta/LED: nm x 205 mm standard 40° e installed on walls, ce ta LED	Opal Design II/LED 1-unit: 650 cm x 400 cm 2-unit only jockey cover: 1,200 cm x 400 cm Opal Design II/LED: 265 mm x 172 mm • as standard 5° – 40° (with projection from 351 cm 7° to 40°)	650 cm x 400 cm Semina Life/LED: 307 mm x 194 mm • as standard	Smaila/LED 550 cm x 300 cm 500 cm x 350 cm Smaila/LED: 248 mm x 155 mm • as standard	Cassita II/LED Cassette awnings 550 cm x 300 cm Cassita II/LED: 266 mm x 155 mm	I2000/K2000/N2000 I/K2000: 1-unit: 700 cm x 400 cm 2-unit: 1,200 cm x 400 cm N 2000: 600 cm x 350 cm I/K2000: 198/200 mm x 211 mm	Semina Semi-cassette awning 700 cm x 350 cm	Topas IIOpen awning1-unit: 700 cm x 400 cm2-unit: 1,200 cm x 400 cm
ta/LED: mm x 400 cm ta/LED: nm x 205 mm standard 40° e installed on walls, ce ta LED	650 cm x 400 cm 2-unit only jockey cover: 1,200 cm x 400 cm Opal Design II/LED: 265 mm x 172 mm • as standard • 5° - 40° (with projection from 351 cm 7° to 40°)	Semina Life/LED: 307 mm x 194 mm • as standard	500 cm x 350 cm Smaila/LED: 248 mm x 155 mm • as standard	550 cm x 300 cm Cassita II/LED:	1-unit: 700 cm x 400 cm 2-unit: 1,200 cm x 400 cm N 2000: 600 cm x 350 cm I/K 2000: 198/200 mm x 211 mm	700 cm x 350 cm	1-unit: 700 cm x 400 cm 2-unit: 1,200 cm x 400 cm
m x 300 cm m x 400 cm ta/LED: nm x 205 mm standard 40° e installed on walls, ce ta LED	650 cm x 400 cm 2-unit only jockey cover: 1,200 cm x 400 cm Opal Design II/LED: 265 mm x 172 mm • as standard • 5° - 40° (with projection from 351 cm 7° to 40°)	Semina Life/LED: 307 mm x 194 mm • as standard	500 cm x 350 cm Smaila/LED: 248 mm x 155 mm • as standard	Cassita II/LED:	1-unit: 700 cm x 400 cm 2-unit: 1,200 cm x 400 cm N 2000: 600 cm x 350 cm I/K 2000: 198/200 mm x 211 mm		2-unit: 1,200 cm x 400 cm
nm x 205 mm standard 40° . e installed on walls, ce	265 mm x 172 mm • as standard · 5° - 40° (with projection from 351 cm 7° to 40°)	307 mm x 194 mm as standard	248 mm x 155 mm as standard			204 mm v 204 mm	
40° e installed on walls, ce ta LED	0 5° - 40° (with projection from 351 cm 7° to 40°)	0			N 2000: 210 mm x 197 mm	204 mm x 204 mm	without roof: 215 x 210 mn with roof: 215 x 215 mm
40° e installed on walls, ce ta LED	5° – 40° (with projection from 351 cm 7° to 40°)			as standard	 as standard 	 as standard 	as standard
e installed on walls, ce ta LED	from 351 cm 7° to 40°)	50 250	0	0	0	0	0
ta LED	11 1 6	5° – 25°	5° – 40°	5° – 45°, with gear handle 5° – 25°	5° – 40°	5° – 40°	5° – 40°
	eilings and ratters		'	can be installed on walls, ceilings a	and rafters		
	Opal Design II LED	Semina Life LED	Smaila LED	Cassita II LED	○ LED Design/3Spot bar	0	○ LED Design light bar
	•	•	•	•	•	•	•
	500 cm/600 cm	600 cm	500 cm	—	—	—	550 cm / 600 cm
	350 cm/300 cm	350 cm	300 cm	—	—	_	350 cm / 300 cm
	Opal Design II/LED: 326 mm x 172 mm	Semina Life/LED: 367 mm x 194 mm	Smaila/LED: 306 mm x 155 mm	_	—	—	without roof: 265 x 210 m with roof: 265 x 215 mm
	•	•	•	—	—	—	•
	0	0	0	—	_	_	0
	10° – 20°	10° – 20°	10° – 20°	—	—	_	10° – 20°
	100 cm, 150 cm, 210 cm	100 cm, 150 cm, 210 cm	100 cm	—	—	—	100 cm, 150 cm and 210 c
	•	•	•	•	•	•	•
	0	0	0	0	0	0	0
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	\bigcirc only Valance Plus	\bigcirc only Valance Plus	\bigcirc only Valance Plus	—	—	—	\bigcirc only Valance Plus
	 attachment with special bracket 	 attachment with special bracket 	0	0	0	0	0
	 attachment with special bracket 	0	0	0	0	0	0
	0	0	0	0	0	0	0
	0	0	0	0	0	0	0
	0	0	0	0	0	0	0
	0	0	0	0	0	0	0
		 only Valance Plus attachment with special bracket attachment with special bracket attachment with special bracket o o o o o o o o 	Image: Constraint of the second se	Image: special bracketImage: special bracket <td>Image: Constraint of the constra</td> <td>Image: constraint of the special bracketImage: constraint of</td> <td>Image: second second</td>	Image: Constraint of the constra	Image: constraint of the special bracketImage: constraint of	Image: second

* OFor projections of 150 cm and more, exclusively the following fabrics are available for Valance Plus: 3-509, 3-708, 3-716, 3-719, 3-720.
 ** Please ensure the gap to the Valance Plus is sufficient. Safer retraction protection with BiConnect.

*** Adjustment of the test pressures for folding arm awnings in accordance with EU Regulation 2019/1188: With unchanged wind stability (nominal wind pressure 40 N/m²), the awnings of wind resistance class 2 are now certified with 1. (For more information, also refer to the guideline for technical advice for folding arm awnings from the IVRSA, Chapter 2.1)

nina	Topas II
i-cassette awning	Open awning





Experience the whole weinor.com world

Front cover: Frame colour WT 029/90147 | Pattern 3-501 cream Back cover: Frame colour WT 029/70786 | Pattern 3-716 suede

Your weinor retailer will be pleased to advise you:

Patent no	
EP 1403442	EP 2826945
EP 1564364	EP 3048213
EP 1707736	EP 3168410
EP 1835089	EP 3228801
EP 1936062	EP 3246500
EP 1939105	EP 3309318
EP 2019346	EP 3309319
EP 2199484	EP 3354840
EP 2202376	EP 3354817
EP 2383402	EP 3354840